

# NETWORK SERVER CABINETS



DB42-88

Version: 03/20



1000 kg loading capacity

DIN lock available

4 door variants

Flat pack or assembled

## FEATURES

- Size: 800 \* 800 mm
- HE: 42U
- Color: Black / Grey
- Safety class IP20
- Available in either assembled or flat package
- Elegant perforated door and tempered safety glass door in option
- Side panels are lockable and removable
- 4 pieces of leveling feet and castor already pre-configured und the rack
- Load capacity 1000 kg
- Earthing cable included



Rugged construction



Excellent ventilation



Friendly installation




Convenient locking mechanism



Replaceable DIN lock and coded lock



Easy disassembly



Convenient cable entry



Convenient mobilization and fixation of cabinet

# NETWORK SERVER CABINETS



DB42-88

Version: 03/20

## STANDARD

Comply with ANSI/EIARS-310-D, DIN41491, PART1, IEC297-2, DIN41494, PART7, GB/T3047.2-92 standard, ISO 9001:2008, EC 297-1, -2, EN 61587-1:2012, EN 60950-1:2006

Compatible with metric ETSI and 19inch international standard.

## APPLICATION

Widely applied finance, securities and data center; adopted by the professional servers' network providers as IBM, SUN, HP, COMPAQ, DELL etc.

## MATERIALS

Construction is made by high quality cold rolled steel. Thickness for frame 2.0 mm, mounting rail 2.0 mm, side panel 1.5 mm, fixed shelf 1.5 mm. Surface is treated by electro-magnetic powder coating, with thickness of 80 µm-100 µm. Available in grey and black color

## DOOR OPTIONS



PF = Perforated steel door

PD = Perforated double steel door

ST = Steel casement door

GL = Smokey-gray glass door

## ORDER INFORMATION

RACK UNITS	WIDTH	DEPTH	PART NUMBER	DOOR	COLOR
42U	800mm	800mm	DB42-88	PF = Perforated steel door	B (Black) W (Grey)
		800mm	DB42-88	PD = Perforated double steel door	
		800mm	DB42-88	ST = Steel casement door	
		800mm	DB42-88	GL = Smokey-grey glass door	

\* Standard configurations can be ordered as <PARTNUMBER>-<FRONT DOOR>-<REAR DOOR>-<COLOR>


# NETWORK SERVER CABINETS



DB42-88

Version: 03/20

## TECHNICAL DRAWINGS





# NETWORK SERVER CABINETS



DB42-88

Version: 03/20

## TECHNICAL DRAWINGS



**keep stable**